

# Planning booklet

PKAS3 - Extraction

# Contents

Information . . . . .	4
One cooktop extractor . . . . .	6-442
Worktop . . . . .	7-42
direction of the ducting to the back . . . . .	8
direction of the ducting to the right . . . . .	32
direction of the ducting to the left . . . . .	38
Plinth . . . . .	43-90
direction of the ducting to the right . . . . .	44
direction of the ducting to the left . . . . .	68
Floor . . . . .	91-186
direction of the ducting to the back . . . . .	92
direction of the ducting to the right . . . . .	116
direction of the ducting to the front . . . . .	140
direction of the ducting to the left . . . . .	164
Cellar . . . . .	187-234
direction of the ducting to the back . . . . .	188
direction of the ducting to the right . . . . .	200
direction of the ducting to the front . . . . .	212
direction of the ducting to the left . . . . .	224

<b>Two cooktop extractors . . . . .</b>	<b>235-464</b>
<b>Worktop . . . . .</b>	<b>236-271</b>
direction of the ducting to the back. . . . .	237
direction of the ducting to the right. . . . .	261
direction of the ducting to the left . . . . .	267
<b>Plinth . . . . .</b>	<b>272-319</b>
direction of the ducting to the right. . . . .	273
direction of the ducting to the left . . . . .	297
<b>Floor . . . . .</b>	<b>320-416</b>
direction of the ducting to the back. . . . .	321
direction of the ducting to the right. . . . .	345
direction of the ducting to the front. . . . .	369
direction of the ducting to the left . . . . .	393
<b>Cellar . . . . .</b>	<b>416-464</b>
direction of the ducting to the back. . . . .	417
direction of the ducting to the right. . . . .	429
direction of the ducting to the front. . . . .	441
direction of the ducting to the left . . . . .	453

# Information

To make it easier for you to work with standard planning situations, which we have illustrated in our so-called sample plans, we have created two planning booklets for each product series.

For each product family, there is one planning booklet for exhaust air solutions and one for recirculation air solutions.

With the one-off download of 10 planning booklets, you have access to the complete range of our more than 500 sample plans. By simply linking to the table of contents and using the inserted bookmarks, you can find the planning you need easily, quickly and effectively.

We will be happy to check your installation situation and parts list. Simply send us the floor plan of your kitchen design and the following information by e-mail to [planung@bora.com](mailto:planung@bora.com):

Which BORA system is being planned?

Should the system be operated with exhaust air or recirculated air?

Necessary information for...

... Exhaust air:      Desired position of the wall box on the outer wall?  
                            Level of the duct routing (plinth area, floor structure, or on the basement ceiling)?  
                            If applicable, route of the exhaust air duct, if direct route not possible.

... Recirculation:      ULBF or ULB3X air purification box

You can reach us for further questions by telephone at  
+49 (0) 80 35 98 40 - 140.

# Naming Sample Plans

## „speaking numbering system”

Quantity exhaust modules	System	Version	Level	Offset	Direction	End of Ducting	Special
2	PKA3 Professional 3.0	A - exhaust	0 - without	0 - without	0 - without	0 - without	0 - without
	PKAS3 Professional 3.0 compact	U - recirculation	1 - worktop	1 - EFRV	1 - back	1 - UEBF	1 - hanging
	CKA2 Classic 2.0		2 - plinth	2- EFRG	2 - right	2 - UEBR	2 - standing
	P X Pure/M Pure/ Pure		3 - floor construction		3 - front	3 - swanneck UEBF	3 - blind corner
	SP S Pure		4 - cellar		4 - left	4 - swanneck UEBR	4 - upright
	B Basic					5 - ULBF	
						6 - ULB3X	
						7 - PULBTA	

Example:

2 PKAS3 A 2 1 4 4 0

2 cooktop extractors Professional 3.0 compact exhaust version, plinth, ducting to the left with swanneck and UEBR

one cooktop extractor

# Worktop

flat wall sleeve. . . . .	8
round wall sleeve. . . . .	20
direction of ducting to the right . . . . .	32
direction of the ducting to the left . . . . .	38

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10110  
Professional 3.0 worktop back UEBF


LAYOUT 3D

Version, 1.0


**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFV duct connection flat
1	UEBF 3box wall sleeve
1	UEBFES 3box wall sleeve vent guard
1	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



1. Min. 74mm from front edge to cut-out
2. UEBFES/ UEBRES grill must be installed if the ducting has no bends and the ducting route is  $\leq 900$  mm
3. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10110  
Professional 3.0 worktop back UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A10110  
Professional 3.0 worktop back UEBF

LAYOUT


FA

Version, 1.0



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A10130  
Professional 3.0 worktop swan neck UEBF

LAYOUT 3D

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBV90 90° bend flat vertical
1	UEBF 3box wall sleeve
1	EFS750 shallow duct with partition 750mm
Please check for accuracy. Seals included. Are optically not displayed.	

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10130  
Professional 3.0 worktop swan neck UEBF

LAYOUT GR

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10130  
Professional 3.0 worktop swan neck UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A10130  
Professional 3.0 worktop swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A10130  
Professional 3.0 worktop swan neck UEBF

LAYOUT

Version, 1.0

**BORA**

Detail



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10120  
Professional 3.0 worktop back UEBR


LAYOUT 3D

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFRG bridge flat round straight
1	UEBR 3box wall sleeve round
1	UEBRES 3box wall sleeve round vent guard
1	ER750 round duct 750mm

Please check for accuracy. Seals included. Are optically not displayed.

Version, 1.0

**BORA**




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10120  
Professional 3.0 worktop back UEBR

LAYOUT GR

1. Min. 74mm from front edge to cut-out
2. UEBFES/ UEBRES grill must be installed if the ducting has no bends and the ducting route is  $\leq 900$  mm
3. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10120  
Professional 3.0 worktop back UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A10120  
Professional 3.0 worktop back UEBR

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10140  
Professional 3.0 worktop swan neck UEBR


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBV90 90° bend flat vertical
1	EFR90 transition flat round 90°
1	ERV duct connection round
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
1	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10140  
Professional 3.0 worktop swan neck UEBR


LAYOUT

GR

Version, 1.0

**BORA**

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A10140  
Professional 3.0 worktop swan neck UEBR

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A10140  
Professional 3.0 worktop swan neck UEBR

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10224  
Professional 3.0 worktop right UEBR upright


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
1	EFBV90 90° bend flat vertical
1	EFRG bridge flat round straight
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. At least 50 mm to cut out. This distance is a recommendation. Please contact your worktop manufacturer for the exact distance.

2. Min. space required

3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A10224  
Professional 3.0 worktop right UEBR upright

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A10224  
Professional 3.0 worktop right UEBR upright

LAYOUT

FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10424  
Professional 3.0 worktop left UEBR upright


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
1	EFBV90 90° bend flat vertical
1	EFRG bridge flat round straight
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A10424  
Professional 3.0 worktop left UEBR upright

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A10424  
Professional 3.0 worktop left UEBR upright

LAYOUT

FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract



# Plinth

direction of the ducting to the right . . . . .	44
direction of the ducting to the left . . . . .	68

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKA3A20210  
Professional 3.0 Plinth right UEBF


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
1	EFV duct connection flat
1	UEBF 3box wall sleeve
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required


3. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

PKA3A20210  
Professional 3.0 Plinth right UEBF  
SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKA3A20210  
Professional 3.0 Plinth right UEBF

LAYOUT FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20220  
Professional 3.0 plinth right UEBR


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
1	EFRG bridge flat round straight
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required


3. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A20220  
Professional 3.0 plinth right UEBR  
SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20220  
Professional 3.0 plinth right UEBR

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20230  
Professional 3.0 plinth right swan neck UEBF


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
1	UEBF 3box wall sleeve
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required


3. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A20230  
Professional 3.0 plinth right swan neck UEBF  
SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A20230  
Professional 3.0 plinth right swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20230  
Professional 3.0 plinth right swan neck UEBF

LAYOUT Detail

Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20240  
Professional 3.0 plinth right swan neck UEBR


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
3	EFBV90 90° bend flat vertical
1	EFR90 transition flat round 90°
1	ERV duct connection round
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to  
cut-out

2. Min. space required


3. Hole size min. Ø180mm.  
Wall vent must be able to fully  
open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A20240  
Professional 3.0 plinth right swan neck UEBR  
SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A20240  
Professional 3.0 plinth right swan neck UEBR

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Hole size min. Ø 180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20410  
Professional 3.0 plinth left UEBF


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
1	EFV duct connection flat
1	UEBF 3box wall sleeve
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A20410  
Professional 3.0 plinth left UEBF

LAYOUT

GR

Version, 1.0

**BORA**



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20410  
Professional 3.0 plinth left UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20410  
Professional 3.0 plinth left UEBF

LAYOUT FA


Version, 1.0

 BORA



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20420  
Professional 3.0 plinth left UEBR

LAYOUT


3D

Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
1	EFRG bridge flat round straight
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A20420  
Professional 3.0 plinth left UEBR

LAYOUT

GR

Version, 1.0

**BORA**



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20420  
Professional 3.0 plinth left UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20420  
Professional 3.0 plinth left UEBR

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20430  
Professional 3.0 plinth left swan neck UEBF


LAYOUT 3D


Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
1	UEBF 3box wall sleeve
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

Version, 1.0

**BORA**





1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20430  
Professional 3.0 plinth left swan neck UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A20430  
Professional 3.0 plinth left swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20430  
Professional 3.0 plinth left swan neck UEBF

LAYOUT Detail

Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20440  
Professional 3.0 plinth left swan neck UEBR


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
3	EFBV90 90° bend flat vertical
1	EFR90 transition flat round 90°
1	ERV duct connection round
1	UEBR 3box wall sleeve round
2	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A20440  
Professional 3.0 plinth left swan neck UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A20440  
Professional 3.0 plinth left swan neck UEBR

LAYOUT

FA

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Detail




1. Hole size min. Ø 180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)

# Floor

direction of the ducting to the back . . . . .	92
direction of the ducting to the right . . . . .	116
direction of the ducting to the front. . . . .	140
direction of the ducting to the left. . . . .	167

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

**PKAS3A30110**  
Professional 3.0 Floor back UEBF  
**3D HK**



Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBV90 90° bend flat vertical
2	EFV duct connection flat
1	UEBF 3box wall sleeve
2	EFS750 shallow duct with partition 750mm


Please check for accuracy. Seals included. Are optically not displayed.

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30110  
Professional 3.0 Floor back UEBF

LAYOUT GR HK

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Connection point Ecotube
4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30110  
Professional 3.0 Floor back UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30110  
Professional 3.0 Floor back UEBF

LAYOUT FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A30120  
Professional 3.0 Floor back UEBR  
3D HK



Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBV90 90° bend flat vertical
1	EFRG bridge flat round straight
1	EFV duct connection flat
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
2	EFS750 shallow duct with partition 750mm


Please check for accuracy. Seals included. Are optically not displayed.

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30120  
Professional 3.0 Floor back UEBR

LAYOUT GR HK

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Connection point Ecotube
4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30120  
Professional 3.0 Floor back UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30120  
Professional 3.0 Floor back UEBR

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area




1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A30130  
Professional 3.0 Floor back swan neck UEBF  
3D HK



Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
4	EFBV90 90° bend flat vertical
1	EFV duct connection flat
1	UEBF 3box wall sleeve
3	EFS750 shallow duct with partition 750mm


Please check for accuracy. Seals included. Are optically not displayed.

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30130  
Professional 3.0 Floor back swan neck UEBF

LAYOUT GR HK

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Connection point Ecotube
4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30130  
Professional 3.0 Floor back swan neck UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A30130  
Professional 3.0 Floor back swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30130  
Professional 3.0 Floor back swan neck UEBF

LAYOUT Detail

Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A30140  
Professional 3.0 Floor back swan neck UEBR  
3D HK



Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
3	EFBV90 90° bend flat vertical
1	EFR90 transition flat round 90°
1	EFV duct connection flat
1	ERV duct connection round
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
3	EFS750 shallow duct with partition 750mm


Please check for accuracy. Seals included. Are optically not displayed.

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30140  
Professional 3.0 Floor back swan neck UEBR

LAYOUT GR HK

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Connection point Ecotube
4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30140  
Professional 3.0 Floor back swan neck UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A30140  
Professional 3.0 Floor back swan neck UEBR

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Hole size min. Ø 180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30210  
Professional 3.0 Floor right UEBF


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
2	EFV duct connection flat
1	UEBF 3box wall sleeve
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30210  
Professional 3.0 Floor right UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30210  
Professional 3.0 Floor right UEBF

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30220  
Professional 3.0 floor right UEBR


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
1	EFRG bridge flat round straight
1	EFV duct connection flat
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. At least 50 mm to cut out. This distance is a recommendation. Please contact your worktop manufacturer for the exact distance.

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30220  
Professional 3.0 floor right UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30220  
Professional 3.0 floor right UEBR

LAYOUT

FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30230  
Professional 3.0 Floor right swan neck UEBF


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
1	EFV duct connection flat
1	UEBF 3box wall sleeve
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30230  
Professional 3.0 Floor right swan neck UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30230  
Professional 3.0 Floor right swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30230  
Professional 3.0 Floor right swan neck UEBF

LAYOUT Detail

Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30240  
Professional 3.0 Floor right swan neck UEBR


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
3	EFBV90 90° bend flat vertical
1	EFR90 transition flat round 90°
1	EFV duct connection flat
1	ERV duct connection round
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30240  
Professional 3.0 Floor right swan neck UEBR

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30240  
Professional 3.0 Floor right swan neck UEBR

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Hole size min. Ø 180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30310  
Professional 3.0 Floor front UEBF


LAYOUT

3D HK

Count	Item BORA	
1	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
2	EFBV90	90° bend flat vertical
2	EFV	duct connection flat
1	UEBF	3box wall sleeve
2	EFS750	shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





- 1. Min. 74mm from front edge to cut-out
- 2. Min. space required
- 3. Connection point Ecotube
- 4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
- 5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30310  
Professional 3.0 Floor front UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30310  
Professional 3.0 Floor front UEBF

LAYOUT FA

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Page 4





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30320  
Professional 3.0 Floor front UEBR


LAYOUT

3D HK

Count	Item BORA	
1	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
2	EFBV90	90° bend flat vertical
1	EFRG	bridge flat round straight
1	EFV	duct connection flat
1	UEBR	3box wall sleeve round
1	ER750	round duct 750mm
2	EFS750	shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30320  
Professional 3.0 Floor front UEBR

LAYOUT SA

Version, 1.0

 BORA



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30320  
Professional 3.0 Floor front UEBR

LAYOUT FA

Version, 1.0


**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


Page 4



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30330  
Professional 3.0 Floor front swan neck UEBF


LAYOUT

3D HK

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
4	EFBV90 90° bend flat vertical
1	EFV duct connection flat
1	UEBF 3box wall sleeve
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





(1.) Min. 74mm from front edge to cut-out

(2.) Min. space required

(3.) Connection point Ecotube

(4.) Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required


(5.) Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A30330  
Professional 3.0 Floor front swan neck UEBF

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A30330  
Professional 3.0 Floor front swan neck UEBF

LAYOUT

FA

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Page 4



1.) Hole size 310 x 155mm  
Bottom of hole to middle of  
duct 71mm.  
Wall vent must be able to fully  
open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30340  
Professional 3.0 Floor front swan neck UEBR

LAYOUT

3D HK

Count	Item BORA	
1	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
3	EFBV90	90° bend flat vertical
1	EFR90	transition flat round 90°
1	EFV	duct connection flat
1	ERV	duct connection round
1	UEBR	3box wall sleeve round
1	ER750	round duct 750mm
3	EFS750	shallow duct with partition 750mm


Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A30340  
Professional 3.0 Floor front swan neck UEBR

GR HK



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required


5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A30340  
Professional 3.0 Floor front swan neck UEBR

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A30340  
Professional 3.0 Floor front swan neck UEBR

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)




MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30410  
Professional 3.0 Floor left UEBF

LAYOUT 3D

Version, 1.0

**BORA**




Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
2	EFV duct connection flat
1	UEBF 3box wall sleeve
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30410  
Professional 3.0 Floor left UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30410  
Professional 3.0 Floor left UEBF

LAYOUT FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com






MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30420  
Professional 3.0 Floor left UEBR

LAYOUT 3D

Version, 1.0

**BORA**




Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
1	EFRG bridge flat round straight
1	EFV duct connection flat
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30420  
Professional 3.0 Floor left UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30420  
Professional 3.0 Floor left UEBR

LAYOUT

FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract






MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30430  
Professional 3.0 Floor left swan neck UEBF

LAYOUT 3D

Version, 1.0


**BORA**



Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
1	EFV duct connection flat
1	UEBF 3box wall sleeve
3	EFS750 shallow duct with partition 750mm
Please check for accuracy. Seals included. Are optically not displayed.	

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A30430  
Professional 3.0 Floor left swan neck UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A30430  
Professional 3.0 Floor left swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30430  
Professional 3.0 Floor left swan neck UEBF

LAYOUT Detail

Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30440  
Professional 3.0 Floor left swan neck UEBR

LAYOUT 3D

Version, 1.0

**BORA**




Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
3	EFBV90 90° bend flat vertical
1	EFR90 transition flat round 90°
1	EFV duct connection flat
1	ERV duct connection round
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A30440  
Professional 3.0 Floor left swan neck UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A30440  
Professional 3.0 Floor left swan neck UEBR

LAYOUT

FA

Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Page 4

Detail




1. Hole size min. Ø 180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)

# Cellar


direction of the ducting to the back . . . . .	188
direction of the ducting to the right . . . . .	200
direction of the ducting to the front. . . . .	212
direction of the ducting to the left. . . . .	224

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A40110  
Professional 3.0 Cellar back UEBF  
3D HK



1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size at least 110 x 270mm
4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A40110  
Professional 3.0 Cellar back UEBF

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A40110  
Professional 3.0 Cellar back UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Page 4


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A40110  
Professional 3.0 Cellar back UEBF

LAYOUT Detail

Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

PKAS3A40120  
Professional 3.0 Cellar back UEBR  
3D HK



Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBV90 90° bend flat vertical
2	EFMS installation set flat
1	ERFG bridge flat round straight
1	EFV duct connection flat
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
3	EFS750 shallow duct with partition 750mm


*Please check for accuracy. Seals included. Are optically not displayed.*

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A40120  
Professional 3.0 Cellar back UEBR

LAYOUT GR HK

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size at least 110 x 270mm
4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A40120  
Professional 3.0 Cellar back UEBR

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A40120  
Professional 3.0 Cellar back UEBR

LAYOUT

FA


Version, 1.0

**BORA**





The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A40210  
Professional 3.0 Cellar right UEBF


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
2	EFMS installation set flat
2	EFV duct connection flat
1	UEBF 3box wall sleeve
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size at least 110 x 270mm

4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve

5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A40210  
Professional 3.0 Cellar right UEBF

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A40210  
Professional 3.0 Cellar right UEBF

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A40220  
Professional 3.0 Cellar right UEBR


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
2	EFMS installation set flat
1	EFRG bridge flat round straight
1	EFV duct connection flat
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size at least 110 x 270mm

4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A40220  
Professional 3.0 Cellar right UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A40220  
Professional 3.0 Cellar right UEBR

LAYOUT

FA

Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

## LAYOUT

## Detail




in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN 18560-2, a screed reinforcement layer is required
  2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
  3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract

in the cellar





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A40310  
Professional 3.0 Cellar front UEBF


LAYOUT

3D HK

Count	Item BORA	
1	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
2	EFBV90	90° bend flat vertical
2	EFMS	installation set flat
2	EFV	duct connection flat
1	UEBF	3box wall sleeve
3	EFS750	shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





- (1.) Min. 74mm from front edge to cut-out
- (2.) Min. space required
- (3.) Hole size at least 110 x 270mm
- (4.) One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
- (5.) Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A40310  
Professional 3.0 Cellar front UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A40310  
Professional 3.0 Cellar front UEBF

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A40320  
Professional 3.0 Cellar front UEBR


LAYOUT

3D HK

Count	Item BORA	
1	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
2	EFBV90	90° bend flat vertical
2	EFMS	installation set flat
1	EFRG	bridge flat round straight
1	EFV	duct connection flat
1	UEBR	3box wall sleeve round
1	ER750	round duct 750mm
3	EFS750	shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





- 1. Min. 74mm from front edge to cut-out
- 2. Min. space required
- 3. Hole size at least 110 x 270mm
- 4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
- 5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A40320  
Professional 3.0 Cellar front UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A40320  
Professional 3.0 Cellar front UEBR

LAYOUT

FA

Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

## LAYOUT

## Detail




in the plinth area




1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN 18560-2, a screed reinforcement layer is required
  2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
  3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract

in the cellar








Count	Item BORA		
1	PKAS3	Pro cooktop-extractor-system with integrated extractor	
<b>Item BORA Ecotube</b>			
1	EFBH90	90° bend flat horizontal	
2	EFBV90	90° bend flat vertical	
2	EFMS	installation set flat	
2	EFV	duct connection flat	
1	UEBF	3box wall sleeve	
3	EFS750	shallow duct with partition 750mm	

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size at least 110 x 270mm

4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve

5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

PKAS3A40410  
Professional 3.0 Cellar left UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


PKAS3A40410  
Professional 3.0 Cellar left UEBF

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A40420  
Professional 3.0 Cellar left UEBR


LAYOUT 3D

Version, 1.0

**BORA**


Count	Item BORA
1	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
1	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
2	EFMS installation set flat
1	ERFG bridge flat round straight
1	EFV duct connection flat
1	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
3	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size at least 110 x 270mm

4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve

5. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


PKAS3A40420  
Professional 3.0 Cellar left UEBR

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

PKAS3A40420  
Professional 3.0 Cellar left UEBR

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract



two cooktop extractors

# Worktop

flat wall sleeve. . . . .	237
round wall sleeve . . . . .	249
direction of ducting to the right . . . . .	261
direction of the ducting to the left. . . . .	267

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10110  
Professional 3.0 Worktop back UEBF


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
4	EFV duct connection flat
2	UEBF 3box wall sleeve
2	UEBFES 3box wall sleeve vent guard
1	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10110  
Professional 3.0 Worktop back UEBF

LAYOUT GR

1. Min. 74mm from front edge to cut-out
2. UEBFES/ UEBRES grill must be installed if the ducting has no bends and the ducting route is  $\leq 900$  mm
3. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10110  
Professional 3.0 Worktop back UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10110  
Professional 3.0 Worktop back UEBF

LAYOUT FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A10130  
Professional 3.0 Worktop back swan neck UEBF

LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
4	EFBV90 90° bend flat vertical
2	UEBF 3box wall sleeve
1	EFS750 shallow duct with partition 750mm
Please check for accuracy. Seals included. Are optically not displayed.	



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10130  
Professional 3.0 Worktop back swan neck UEBF

LAYOUT

GR

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10130  
Professional 3.0 Worktop back swan neck UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A10130  
Professional 3.0 Worktop back swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A10130  
Professional 3.0 Worktop back swan neck UEBF

LAYOUT

Version, 1.0

**BORA**

Detail



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10120  
Professional 3.0 Worktop back UEBR


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFRG bridge flat round straight
2	UEBR 3box wall sleeve round
2	UEBRES 3box wall sleeve round vent guard
1	ER750 round duct 750mm

Please check for accuracy. Seals included. Are optically not displayed.



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10120  
Professional 3.0 Worktop back UEBR


Version, 1.0

**BORA**

LAYOUT

GR

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. UEBFES/ UEBRES grill must be installed if the ducting has no bends and the ducting route is  $\leq 900$  mm
4. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10120  
Professional 3.0 Worktop back UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A10120  
Professional 3.0 Worktop back UEBR

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10140  
Professional 3.0 Worktop back swan neck UEBR


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBV90 90° bend flat vertical
2	EFR90 transition flat round 90°
2	ERV duct connection round
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
1	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Page 1


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10140  
Professional 3.0 Worktop back swan neck UEBR

LAYOUT

GR

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10140  
Professional 3.0 Worktop back swan neck UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A10140  
Professional 3.0 Worktop back swan neck UEBR

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10224  
Professional 3.0 Worktop right UEBR upright


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
2	EFRG bridge flat round straight
1	EFV duct connection flat
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
4	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


2PKAS3A10224  
Professional 3.0 Worktop right UEBR upright

LAYOUT

GR

Version, 1.0

**BORA**



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A10224  
Professional 3.0 Worktop right UEBR upright

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A10224  
Professional 3.0 Worktop right UEBR upright

LAYOUT

FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10424  
Professional 3.0 worktop left UEBR upright


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
2	EFBV90 90° bend flat vertical
2	EFRG bridge flat round straight
1	EFV duct connection flat
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
4	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A10424  
Professional 3.0 worktop left UEBR upright

LAYOUT

GR

Version, 1.0

**BORA**



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A10424  
Professional 3.0 worktop left UEBR upright

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A10424  
Professional 3.0 worktop left UEBR upright

LAYOUT

FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract



# Plinth

direction of the ducting to the right . . . . .	273
direction of the ducting to the left. . . . .	297

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKA3A20210  
Professional 3.0 Plinth right UEBF


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
2	EFV duct connection flat
2	UEBF 3box wall sleeve
4	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKA3A20210  
Professional 3.0 Plinth right UEBF

LAYOUT

GR

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

2PKA3A20210  
Professional 3.0 Plinth right UEBF  
SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKA3A20210  
Professional 3.0 Plinth right UEBF

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKA3A20220  
Professional 3.0 Plinth right UEBR


LAYOUT 3D


Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
2	EFRG bridge flat round straight
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
4	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.






MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

2PKA3A20220  
Professional 3.0 Plinth right UEBR  
SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKA3A20220  
Professional 3.0 Plinth right UEBR

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKA3A20230  
Professional 3.0 Plinth right swan neck UEBF


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
8	EFBV90 90° bend flat vertical
2	UEBF 3box wall sleeve
4	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKA3A20230  
Professional 3.0 Plinth right swan neck UEBF

LAYOUT

GR

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

2PKA3A20230  
Professional 3.0 Plinth right swan neck UEBF

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKA3A20230  
Professional 3.0 Plinth right swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKA3A20230  
Professional 3.0 Plinth right swan neck UEBF

LAYOUT

Detail

Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKA3A20240  
Professional 3.0 Plinth right swan neck UEBR


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
6	EFBV90 90° bend flat vertical
2	EFR90 transition flat round 90°
2	ERV duct connection round
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
4	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.




MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKA3A20240  
Professional 3.0 Plinth right swan neck UEBR

LAYOUT GR

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

2PKA3A20240  
Professional 3.0 Plinth right swan neck UEBR  
SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

2PKA3A20240  
Professional 3.0 Plinth right swan neck UEBR

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Detail



1. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A20410  
Professional 3.0 plinth left UEBF


LAYOUT 3D

Version, 1.0

**BORA**


Count	Item BORA	Description
2	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
2	EFBH90	90° bend flat horizontal
4	EFBV90	90° bend flat vertical
3	EFV	duct connection flat
2	UEBF	3box wall sleeve
5	EFS750	shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A20410  
Professional 3.0 plinth left UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A20410  
Professional 3.0 plinth left UEBF

LAYOUT FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A20420  
Professional 3.0 plinth left UEBR


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
2	EFRG bridge flat round straight
1	EFV duct connection flat
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
5	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A20420  
Professional 3.0 plinth left UEBR

LAYOUT

GR

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A20420  
Professional 3.0 plinth left UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A20420  
Professional 3.0 plinth left UEBR

LAYOUT FA



Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN 18560-2, a screed reinforcement layer is required
  2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
  3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A20430  
Professional 3.0 plinth left swan neck UEBF


LAYOUT 3D

Version, 1.0

**BORA**

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
8	EFBV90 90° bend flat vertical
1	EFV duct connection flat
2	UEBF 3box wall sleeve
5	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A20430  
Professional 3.0 plinth left swan neck UEBF

LAYOUT

GR

Version, 1.0

**BORA**



- Min. 74mm from front edge to cut-out
- Min. space required
- Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A20430  
Professional 3.0 plinth left swan neck UEBF

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A20430  
Professional 3.0 plinth left swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A20430  
Professional 3.0 plinth left swan neck UEBF

LAYOUT

Detail

Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A20440  
Professional 3.0 plinth left swan neck UEBR


LAYOUT 3D

Version, 1.0

**BORA**


Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
6	EFBV90 90° bend flat vertical
2	EFR90 transition flat round 90°
1	EFV duct connection flat
2	ERV duct connection round
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
5	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A20440  
Professional 3.0 plinth left swan neck UEBR

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A20440  
Professional 3.0 plinth left swan neck UEBR

LAYOUT

FA

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Detail




1. Hole size min. Ø 180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)

# Floor

direction of the ducting to the back . . . . .	321
direction of the ducting to the right . . . . .	345
direction of the ducting to the front. . . . .	369
direction of the ducting to the left. . . . .	393


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

2PKAS3A30110  
Professional 3.0 Floor back UEBF  
3D HK



Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
4	EFBV90 90° bend flat vertical
4	EFV duct connection flat
2	UEBF 3box wall sleeve
4	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30110  
Professional 3.0 Floor back UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30110  
Professional 3.0 Floor back UEBF

LAYOUT FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com





MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT


2PKAS3A30120  
Professional 3.0 Floor back UEBR  
3D HK



Count	Item BORA	
2	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
4	EFBV90	90° bend flat vertical
2	EFRG	bridge flat round straight
2	EFV	duct connection flat
2	UEBR	3box wall sleeve round
1	ER750	round duct 750mm
4	EFS750	shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Connection point Ecotube
4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30120  
Professional 3.0 Floor back UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30120  
Professional 3.0 Floor back UEBR

LAYOUT FA

Version, 1.0


**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


Page 4



in the plinth area




1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT


2PKAS3A30130  
Professional 3.0 Floor back swan neck UEBF  
3D HK



Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
8	EFBV90 90° bend flat vertical
2	EFV duct connection flat
2	UEBF 3box wall sleeve
5	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Connection point Ecotube
4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30130  
Professional 3.0 Floor back swan neck UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


2PKAS3A30130  
Professional 3.0 Floor back swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30130  
Professional 3.0 Floor back swan neck UEBF

LAYOUT

Detail

Version, 1.0

**BORA**




1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract



MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT


2PKAS3A30140  
Professional 3.0 Floor back swan neck UEBR  
3D HK



Count	Item BORA	
2	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
6	EFBV90	90° bend flat vertical
2	EFR90	transition flat round 90°
2	EFV	duct connection flat
2	ERV	duct connection round
2	UEBR	3box wall sleeve round
1	ER750	round duct 750mm
5	EFS750	shallow duct with partition 750mm

EFBV90

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Connection point Ecotube
4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

2PKAS3A30140  
Professional 3.0 Floor back swan neck UEBR  
SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30140  
Professional 3.0 Floor back swan neck UEBR

LAYOUT

FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com




1. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)




Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
5	EFV duct connection flat
2	UEBF 3box wall sleeve
6	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



LAYOUT

GR



1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Connection point Ecotube
4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A30210  
Professional 3.0 Floor right UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30210  
Professional 3.0 Floor right UEBF

LAYOUT FA

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Page 4






MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A30220  
Professional 3.0 Floor right UEBR

LAYOUT 3D

Version, 1.0

**BORA**



Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
2	EFRG bridge flat round straight
3	EFV duct connection flat
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
6	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30220  
Professional 3.0 Floor right UEBR

Version, 1.0

**BORA**

LAYOUT

GR



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A30220  
Professional 3.0 Floor right UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30220  
Professional 3.0 Floor right UEBR

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract






MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A30230  
Professional 3.0 Floor right swan neck UEBF

LAYOUT 3D

Version, 1.0

**BORA**



Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
8	EFBV90 90° bend flat vertical
3	EFV duct connection flat
2	UEBF 3box wall sleeve
6	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30230  
Professional 3.0 Floor right swan neck UEBF

Version, 1.0

**BORA**

LAYOUT

GR



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30230  
Professional 3.0 Floor right swan neck UEBF

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30230  
Professional 3.0 Floor right swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30230  
Professional 3.0 Floor right swan neck UEBF

LAYOUT

Detail

Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30240  
Professional 3.0 Floor right swan neck UEBR

LAYOUT 3D

Version, 1.0

**BORA**



Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
6	EFBV90 90° bend flat vertical
2	EFR90 transition flat round 90°
3	EFV duct connection flat
2	ERV duct connection round
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
6	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.


The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30240  
Professional 3.0 Floor right swan neck UEBR

LAYOUT GR



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION  
LAYOUT

2PKAS3A30240  
Professional 3.0 Floor right swan neck UEBR

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30240  
Professional 3.0 Floor right swan neck UEBR

LAYOUT

FA

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Detail



1. Hole size min. Ø 180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30310  
Professional 3.0 Floor front UEBF

LAYOUT

3D HK


Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
4	EFBV90 90° bend flat vertical
4	EFV duct connection flat
2	UEBF 3box wall sleeve
4	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



LAYOUT

GR HK



- (1.) Min. 74mm from front edge to cut-out
- (2.) Min. space required
- (3.) Connection point Ecotube
- (4.) Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
- (5.) Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30310  
Professional 3.0 Floor front UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30310  
Professional 3.0 Floor front UEBF

LAYOUT FA

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Page 4





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30320  
Professional 3.0 Floor front UEBR

LAYOUT

3D HK


Count	Item BORA	
2	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
4	EFBV90	90° bend flat vertical
2	EFRG	bridge flat round straight
2	EFV	duct connection flat
2	UEBR	3box wall sleeve round
1	ER750	round duct 750mm
4	EFS750	shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



LAYOUT

GR HK



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30320  
Professional 3.0 Floor front UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30320  
Professional 3.0 Floor front UEBR

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30330  
Professional 3.0 Floor front swan neck UEBF

LAYOUT

3D HK


Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
8	EFBV90 90° bend flat vertical
2	EFV duct connection flat
2	UEBF 3box wall sleeve
5	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



LAYOUT

GR HK



- (1.) Min. 74mm from front edge to cut-out
- (2.) Min. space required
- (3.) Connection point Ecotube
- (4.) Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
- (5.) Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30330  
Professional 3.0 Floor front swan neck UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30330  
Professional 3.0 Floor front swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30330  
Professional 3.0 Floor front swan neck UEBF

LAYOUT

Detail

Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30340  
Professional 3.0 Floor front swan neck UEBR

LAYOUT

3D HK

Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
6	EFBV90 90° bend flat vertical
2	EFR90 transition flat round 90°
2	EFV duct connection flat
2	ERV duct connection round
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
5	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30340  
Professional 3.0 Floor front swan neck UEBR

LAYOUT

GR HK



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30340  
Professional 3.0 Floor front swan neck UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30340  
Professional 3.0 Floor front swan neck UEBR

LAYOUT

FA

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Page 4



1. Hole size min. Ø180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)




MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A30410  
Professional 3.0 Floor left UEBF

LAYOUT 3D

Version, 1.0

**BORA**



Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
5	EFV duct connection flat
2	UEBF 3box wall sleeve
6	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30410  
Professional 3.0 Floor left UEBF

LAYOUT GR

Version, 1.0

**BORA**

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Connection point Ecotube
4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30410  
Professional 3.0 Floor left UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30410  
Professional 3.0 Floor left UEBF

LAYOUT FA


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com






MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A30420  
Professional 3.0 Floor left UEBR

LAYOUT 3D


Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A30420  
Professional 3.0 Floor left UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30420  
Professional 3.0 Floor left UEBR

LAYOUT

FA

Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

LAYOUT


Detail



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract






MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A30430  
Professional 3.0 Floor left swan neck UEBF

LAYOUT 3D

Version, 1.0

**BORA**




Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
8	EFBV90 90° bend flat vertical
3	EFV duct connection flat
2	UEBF 3box wall sleeve
6	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

GR



① Min. 74mm from front edge to cut-out

② Min. space required

③ Connection point Ecotube

④ Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

⑤ Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


2PKAS3A30430  
Professional 3.0 Floor left swan neck UEBF

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30430  
Professional 3.0 Floor left swan neck UEBF

LAYOUT

FA

Version, 1.0

**BORA**



Page 4

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30430  
Professional 3.0 Floor left swan neck UEBF

LAYOUT

Detail


Version, 1.0

**BORA**



1. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract






Count	Item BORA	
2	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
2	EFBH90	90° bend flat horizontal
6	EFBV90	90° bend flat vertical
2	EFR90	transition flat round 90°
3	EFV	duct connection flat
2	ERV	duct connection round
2	UEBR	3box wall sleeve round
1	ER750	round duct 750mm
6	EFS750	shallow duct with partition 750mm

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



1. Min. 74mm from front edge to cut-out

2. Min. space required

3. Connection point Ecotube

4. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required

5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A30440  
Professional 3.0 Floor left swan neck UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A30440  
Professional 3.0 Floor left swan neck UEBR

LAYOUT

FA

Version, 1.0


**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

Detail




1. Hole size min. Ø 180mm.  
Wall vent must be able to fully open for air to extract
2. Bushing length 45mm (can be shortened by 20mm)

# Cellar

direction of the ducting to the back . . . . .	417
direction of the ducting to the right . . . . .	429
direction of the ducting to the front. . . . .	441
direction of the ducting to the left. . . . .	453

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT


2PKAS3A40110  
Professional 3.0 Cellar back UEBF  
3D HK



Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
4	EFBV90 90° bend flat vertical
4	EFMS installation set flat
4	EFV duct connection flat
2	UEBF 3box wall sleeve
5	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size at least 110 x 270mm
4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A40110  
Professional 3.0 Cellar back UEBF

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A40110  
Professional 3.0 Cellar back UEBF

LAYOUT FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A40110  
Professional 3.0 Cellar back UEBF

LAYOUT

Version, 1.0

**BORA**

Detail




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



MODELPLAN  
REFRENCE NUMBER  
COMPOSITION  
LAYOUT

2PKAS3A40120  
Professional 3.0 Cellar back UEBR  
3D HK



Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
4	EFBV90 90° bend flat vertical
4	EFMS installation set flat
2	EFRG bridge flat round straight
2	EFV duct connection flat
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
5	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A40120  
Professional 3.0 Cellar back UEBR

LAYOUT

GR HK

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size at least 110 x 270mm
4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
5. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A40120  
Professional 3.0 Cellar back UEBR

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A40120  
Professional 3.0 Cellar back UEBR

LAYOUT

FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area




1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
5	EFMS installation set flat
5	EFV duct connection flat
2	UEBF 3box wall sleeve
6	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A40210  
Professional 3.0 Cellar right UEBF

Version, 1.0

**BORA**

LAYOUT

GR



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


2PKAS3A40210  
Professional 3.0 Cellar right UEBF

LAYOUT

SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A40210  
Professional 3.0 Cellar right UEBF

LAYOUT FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A40210  
Professional 3.0 Cellar right UEBF

LAYOUT Detail

Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
2	EFBH90 90° bend flat horizontal
4	EFBV90 90° bend flat vertical
5	EFMS installation set flat
2	EFRG bridge flat round straight
3	EFV duct connection flat
2	UEBR 3box wall sleeve round
1	ER750 round duct 750mm
6	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.





MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


2PKAS3A40220  
Professional 3.0 Cellar right UEBR

LAYOUT

SA

Version, 1.0

**BORA**



Page 3

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A40220  
Professional 3.0 Cellar right UEBR

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract





MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A40310  
Professional 3.0 Cellar front UEBF

LAYOUT

3D HK


Count	Item BORA
2	PKAS3 Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>	
4	EFBV90 90° bend flat vertical
4	EFMS installation set flat
4	EFV duct connection flat
2	UEBF 3box wall sleeve
5	EFS750 shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



LAYOUT

GR HK



- (1.) Min. space required

- (3.) Hole size at least 110 x 270mm

- (5.) Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract

- (2.) Min. space required

- (4.) One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A40310  
Professional 3.0 Cellar front UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFRENCE NUMBER  
COMPOSITION


2PKAS3A40310  
Professional 3.0 Cellar front UEBF

LAYOUT

FA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A40310  
Professional 3.0 Cellar front UEBF

LAYOUT

Version, 1.0

**BORA**

Detail



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



MODELPLAN  
REFERENCE NUMBER  
COMPOSITION


2PKAS3A40320  
Professional 3.0 Cellar front UEBR

LAYOUT

3D HK


Count	Item BORA	
2	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
4	EFBV90	90° bend flat vertical
4	EFMS	installation set flat
2	EFRG	bridge flat round straight
2	EFV	duct connection flat
2	UEBR	3box wall sleeve round
1	ER750	round duct 750mm
5	EFS750	shallow duct with partition 750mm

Please check for accuracy. Seals included. Are optically not displayed.



LAYOUT

GR HK



- (1.) Min. 74mm from front edge to cut-out
- (2.) Min. space required
- (3.) Hole size at least 110 x 270mm
- (4.) One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
- (5.) Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A40320  
Professional 3.0 Cellar front UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A40320  
Professional 3.0 Cellar front UEBR

LAYOUT FA

Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.


+49 (0) 80 35 98 40 - 140  
planung@bora.com

Page 4

LAYOUT Detail




in the plinth area




1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN 18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract

in the cellar








Count	Item BORA		
2	PKAS3	Pro cooktop-extractor-system with integrated extractor	
<b>Item BORA Ecotube</b>			
2	EFBH90	90° bend flat horizontal	
4	EFBV90	90° bend flat vertical	
5	EFMS	installation set flat	
5	EFV	duct connection flat	
2	UEBF	3box wall sleeve	
6	EFS750	shallow duct with partition 750mm	

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com

1. Min. 74mm from front edge to cut-out
2. Min. space required
3. Hole size at least 110 x 270mm
4. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
5. Hole size 310 x 155mm  
Wall vent must be able to fully open for air to extract




MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A40410  
Professional 3.0 Cellar left UEBF

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A40410  
Professional 3.0 Cellar left UEBF

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com








Count	Item BORA	
2	PKAS3	Pro cooktop-extractor-system with integrated extractor
<b>Item BORA Ecotube</b>		
2	EFBH90	90° bend flat horizontal
4	EFBV90	90° bend flat vertical
5	EFMS	installation set flat
2	EFRG	bridge flat round straight
3	EFV	duct connection flat
2	UEBR	3box wall sleeve round
1	ER750	round duct 750mm
6	EFS750	shallow duct with partition 750mm

The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

---

+49 (0) 80 35 98 40 - 140  
planung@bora.com




MODELPLAN  
REFRENCE NUMBER  
COMPOSITION

2PKAS3A40420  
Professional 3.0 Cellar left UEBR

LAYOUT SA

Version, 1.0

**BORA**



The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com


MODELPLAN  
REFERENCE NUMBER  
COMPOSITION

2PKAS3A40420  
Professional 3.0 Cellar left UEBR

LAYOUT FA


Version, 1.0

**BORA**




The installation plan has to be verified by the retailer. Please consider the units feet positioning. The depth indications refer to the front edge of the cabinet. To obtain a planning does not automatically entitle to purchase our products. Solely intended for preparing food in private households.

+49 (0) 80 35 98 40 - 140  
planung@bora.com



in the plinth area



1. Installation in floor structure according to DIN 18560-2 (if completely in the levelling layer). If the floor structure deviates from DIN18560-2, a screed reinforcement layer is required
2. One mounting bracket set per length of Ecotube is recommended, positioned at the connection sleeve
3. Hole size min. Ø180mm. Wall vent must be able to fully open for air to extract

